WOUND & BURN DRESSING
MEDIHONEY®

Reference List

REFERENCES for the use of **MEDIHONEY® Antibacterial Medical Honey**

* MEDIHONEY® Antibacterial Medical Honey
** MEDIHONEY® Antibacterial Wound Gel
*** MEDIHONEY® Antibacterial Honey Apinate® Dressings
**** MEDIHONEY® Antibacterial Honey Gel Sheets
^ Comvita WoundCare 18+

IN VIVO

1. Albietz JM, Lenton LM. Effect of antibacterial honey on the ocular flora in tear deficiency and meibomian gland disease. *Cornea* 2006;25(9):1012-1019. (*)
2. Alcaraz A, Kelly J. Treatment of an infected venous leg ulcer with honey dressings. *British J Nursing;*2002*;* 11(13),:859-866. (*)
3. Acton C, Dunwoody G. The use of medical grade honey in clinical practice. *British J Nursing* 2008;17(20): S38-S44. (**)
4. Acton C. Medihoney™: a complete wound bed preparation product. *British J Nursing 2008;*17(11): S44-S48. (**)
5. Acton C. Treatment of a venous leg ulcer found in an intravenous drug user. *Wound Essentials* 2008;3:69-71. (**)
6. Bateman S, Graham T. The use of Medihoney™ Antibacterial Wound Gel on surgical wounds postcoronary artery bypass grafts (CABG). *Wounds UK* 2007;3(3):76-83. (**)
7. Biglari B, vd Linden PH, Simon A, Aytac S, Gerner HJ, Moghaddam A. Use of Medihoney as a non-surgical therapy for chronic pressure ulcers in patients with spinal cord injury. *Spinal Cord* Epub ahead of print 20 September 2011. (*)
8. Biglari B., Moghaddam A, Santos K, et. al. Multicentre prospective observational study on professional wound care using honey (Medihoney). *Int Wound J* 2012;doi: 10.1111/j.1742-481X.2012.00970.x. (*,**)
9. Bittmann S, Luchter E, Thiel M, Kameda G, Hanano R, Längler A. Does honey have a role in paediatric wound management? *British J of Nursing* 2011;19(15):S19-24. (review)
10. Blaser G, Santos K, Bode U, Vetter H, Simon A. Effect of medical honey on wounds colonised or infected with MRSA. *J Wound Care* 2007;16(8):325-328. (*)
11. Brown B. Medihoney™ used to address malodour in a chronic venous leg ulcer. *Tasmanian Wound Care Association Newsletter* 2006; November, 3. (**)
12. Cadogen J. The use of honey to treat an ulcer on the heel of a person with diabetes. *The Diabetic Foot Journal* 2008;11(1):43-45. (*, **)
13. Chaiken N. Pressure ulceration and the use of Active *Leptospermum* honey for debridement and healing. *Ostomy Wound Management* 2010;56(5):12-14.(*)
14. Chapman L. Use of honey on a neuropathic ulcer. *J Community Nursing* 2009;23(2):10-14. (**)
15. Chernev I, Liguori P, Senno S, Peters K, Bowers J. Combined noncontact, low-frequency ultrasound and medical honey for the treatment of chronic wounds: a case series. *J of Wound, Ostomy and Continence Nursing* July 2010;37(4):421-425. (***)
16. Cooper J. Wound management following orbital exenteration surgery. *British J Nursing 2009;*18(6):S4-S14. (**)
17. Dunford C, Hanano R. Acceptability to patients of a honey dressing for non-healing venous leg ulcers. *J of Wound Care* 2004;13(5):193-197. (*)
18. Dunford C. Treatment of a wound infection in a patient with mantle cell lymphoma. *British J Nursing* 2001;10(16): 1058-1065. (*)
19. Dunford C. The use of honey-derived dressings to promote effective wound management. *Professional Nurse* 2005*;*20(8):35-38. (*)
20. Ganacias-Acuna E. Active *Leptospermum* honey dressings and negative pressure wound therapy for non-healing postsurgical wounds. *Ostomy Wound Management 2010;*56(4):10-12.(*)
21. Gethin G, Cowman S, Conroy R. The impact of Manuka honey dressings on the surface pH of chronic wounds. *International Wound Journal 2008;*5(2):185-194. (***)
22. Gethin G, Cowman S. Manuka honey vs. hydrogel - a prospective, open label, multicentre, randomised controlled trial to compare desloughing efficacy and healing outcomes in venous ulcers. *J of Clinical Nursing 2008;*18(3):466-474. (*)
23. Gethin G, Cowman S. Bacteriological changes in sloughy venous leg ulcers treated with manuka honey or hydrogel: an RCT. *J of Wound Care* 2008;17(6):241-247. (*)
24. Gethin G, Cowman S. (2005). Case series of use of Manuka honey in leg ulceration. *International Wound Journal* 2005;2(1):10-15. (*)

Derma Sciences Inc.
214 Carnegie Center, Suite 300, Princeton NJ, 08540 • **TEL:** 609-514-4744 • **Fax:** 609-514-8554

25. Grant T. Treating pilonidal sinus wounds with an antibacterial wound gel after incision and drainage. *Wounds UK* 2009;5(1):78-80. (**)
26. Grothier L, Cooper R. Medihoney™ Dressings made easy. *Wounds UK* 2011;7(4):1-6. (All products).
27. Hendrickson MA. Utilizing active *Leptospermum* honey dressings in the treatment of cutaneous small-vessel vasculitis. *Ostomy Wound Management* 2010;56(4):10-12.(****)
28. Johnson D, van Eps C, Mudge W, Wiggins K, Armstrong K, Hawley C, Campbell S, Isbel N, Nimmo G, Gibbs H. (2005). Randomized, controlled trial of topical exit-site application of honey (Medihoney™) *versus* Mupirocin for the prevention of catheter-associated infections in hemodialysis. *J Am Society of Nephrology* 2005;16(5):1456-62. (*)
29. Johnson D, Clark C, Isbel N, Hawley C, Beller E, Cass A, de Zoysa J, McTaggart S, Playford G, Rosser B, Thompson C, Snelling P. The Honeypot Study Protocol: A randomized controlled trial of exit-site application of Medihoney Antibacterial Wound Gel for the prevention of catheter-associated infections in peritoneal dialysis patients. *Peritoneal Dialysis International* 2009;29(3):303-309. (**)
30. Jull A, Walker N, Parag V, Molan P, Rodgers A. Randomized clinical trial of honey-impregnated dressings for venous leg ulcers. *British Journal of Surgery* 2008;95(2):175-182. (***)
31. Kallen A, Arduino M, Patel P. Preventing infections in patients undergoing hemodialysis. *Expert Review of Anti-Infective Therapy* 2010;8(6):643-655. (**)
32. Kroeger K, Honig und Wundheilung. The use of medical honey in wound healing. *Wund Management 2008;*3:64-70. (German). (*)
33. Kamaratos AV, Tzirogiannis KN, Iraklianou SA, Panoutsopoulos GI, Kanellos IE, Melidonis AI. Manuka honey-impregnated dressings in the treatment of neuropathic diabetic foot ulcers. Int Wound J 2012; doi: 10.1111/j.1742-481X.2012.01082.x (*****)
34. Langemo D, Hanson D, Anderson J, Thompson P, Hunter S. Use of Honey for Wound Healing. *Advances in Skin & Wound Care* 2009;22(3):113-118. (***)
35. Pieper B. Honey-Based Dressings and Wound Care: An Option for Care in the United States. *J of Wound, Ostomy and Continence Nursing* 2009;36(1):60-66. (review)
36. Rabindranath K, Bansal T, Adams J, Das R, Shail R, MacLeod A, Moore C, Bersarab A. Systematic review of antimicrobials for the prevention of haemodialysis catheter-related infections. *Nephrology Dialysis Transplantation* 2009;24:3763-3774. (**)
37. Regulski M. A novel wound care dressing for chronic venous leg ulcerations. *Podiatry Management* 2008; Nov/Dec:235-246. (***)
38. Reyna R. Use of Active *Leptospermum* Honey for a Pediatric Patient with Hydradenitis Suppurativa. *Ostomy Wound Management* 2010;May:12-15. (****)
39. Robson V, Cooper R. Using *Leptospermum* Honey to manage wounds impaired by radiotherapy: A case series. *Ostomy Wound Management* 2009;55(1), 38-47. (*)
40. Robson V, Dodd S, Thomas S. Standardized antibacterial honey (Medihoney™) with standard therapy in wound care: randomized clinical trial. *J of Advanced Nursing* 2009;65(3):565-575. (*)
41. Robson V, Ehsan M. The use of honey in wound management following ENT surgery. *Primary Intention,* 2007;15(4):176-180. (*)
42. Robson V, Martin L, Cooper R. The use of *Leptospermum* honey on chronic wounds in breast care. In: White R, Cooper R , Molan P. (Eds.), *HONEY: a modern wound management product.* Aberdeen: Wounds UK publishing 2005:103-115 (*)
43. Robson V, Yorke J, Sen R, Lowe D, Rogers S. Randomised controlled feasibility trial on the use of medical grade honey following microvascular free tissue transfer to reduce the incidence of wound infection. *The British J Oral & Maxillofacial Surgery* 2012;*50*(4):321-327.
44. Robson V. The use of *Leptospermum* honey in chronic wound management. In White R, Cooper R. Molan P. (Eds.), *HONEY: a modern wound management product.* Aberdeen: Wounds UK publishing 2005:79-88. (*)
45. Robson V. *Leptospermum* honey used as a debriding Agent. *Nurse 2 Nurse* 2002;2(11):66-68. (*)
46. Sare J. Leg ulcer management with topical medical honey. *British Journal of Community Nursing* 2008;13(9):S22-31. (**)
47. Schumacher H. Use of medical honey in patients with chronic venous leg ulcers after split-skin grafting. *J of Wound Care* 2004;13(10):451-452. (*)
48. Simon A, Sofka K, Wiszniewsky G, Blaser G, Bode U, Fleischhack G. Wound care with antibacterial honey (Medihoney™) in pediatric hematology-oncology. *Supportive Care in Cancer* 2006;14(1):91-7. (*)
49. Simon A, Blaser G, Santos K. Honey in paediatric care and oncology. In Cooper R, Molan P, White R (Eds.), *HONEY: a modern wound management product.* Aberdeen: Wounds UK 2008:153-167. (*)
50. Simon A, Traynor K, Santos K, Blaser G, Bode U, Molan P. Medical Honey for Wound Care – still the 'Latest Resort'? *Evidence-Based Complementary and Alternative Medicine* 2008;6(2):165-173. (*)

51. Smith T, Legel K, Hanft J. Topical *Leptospermum* Honey (Medihoney) in recalcitrant venous leg wounds: A preliminary case series. *Advances in Skin and Wound Care* 2009;22(2):68-71. (***)
52. Sofka K, Wiszniewsky SG, Blaser G, Bode U, Simon A. Antibakterielle Honig (Medihoney™) zur Wundpflege - Wundantisepsis bei pädiatrischen Patienten in der Hämatologie-Onkologie? [Antibacterial Honey (Medihoney™) for Woundcare - an antiseptic option for wound care in paediatric oncology?]. *Krankenhaus-Hygiene und Infektionsverhütung* 2004;26(5):183-187. (*)
53. Stephen-Haynes J. Achieving Clinical Outcomes: The Use of Honey. *Wound Essentials* 2011;6:14-19 (All products).
54. Tavernelli K, Larsen T. Managing venous leg ulcers in the home. *Ostomy Wound Management* 2010;56(2), 10-11. (***)
55. Thamboo A, Thamboo A, Philpott C, Javer A. (2011). Single-Blind Study of Manuka Honey in Allergic Fungal Rhinosinusitis. *Journal of Otolaryngology-Head and Neck Surgery* 2011;40(3):238-243. (*)
56. Traynor K. The healing touch of honey. *American Bee Journal* 2007;147(6):521-525. (*)
57. White R, Acton C. Honey in modern wound management. *MIMS Dermatology 2006;* 2(1):40-42. (**)
58. Zeiger B. The use of active *Leptospermum* honey dressings to re-initiate the wound healing process. *Ostomy Wound Management, 2010;*65(1):10. (review)

IN VITRO

* MEDIHONEY® Antibacterial Medical Honey

** Comvita Manukacare 18+

*** MEDIHONEY® Antibacterial Honey Apinate® Dressings

59. Blair S, Cokcetin N, Carter D. The unusual antibacterial activity of medical-grade *Leptospermum* honey: antibacterial spectrum, resistance and transcriptome analysis. *European J Clin Microbiology and Infectious Disease* 2009;8(10):1199-1208. (*)
60. Cooper R, Jenkins L, Henriques A, Duggan R, Burton N. Absence of bacterial resistance to medical-grade manuka honey. *European Journal of Clinical Microbiology and Infectious Diseases,* Epub ahead of print 13 June 2010. (*)
61. Cooper R, Jenkins L. A comparison between medical grade honey and table honeys in relation to antimicrobial efficacy. *Wounds* 2009;21(2):29-36. (*)
62. George N, Cutting K. Antibacterial Honey (Medihoney™): *in-vitro* Activity Against Clinical Isolates of MRSA, VRE, and Other Multiresistant Gram-negative Organisms Including ***Pseudomonas Aeruginosa*** *Wounds* 2007;19(9):231-236. (*)
63. Igelbrink D, Koburger T, Simon A, Kramer A. Mikrobiozide Wirksamkeit von Medihoney™ [Microbiocidal efficacy of Medihoney™]. *GMS Krankenhaushygiene Interdisziplinär* 2007;2(2). (*)
64. Irish J, Carter DA, Shokohi T, Blair S. Honey has an antifungal effect against *Candida* species. *Medical Mycology 2006;*44:289-291. (*)
65. Jenkins RE, Cooper RA, Burton NF. A laboratory survey of the antimicrobial properties of honey-containing dressings. *EWMA Journal* 2008;8(3):11-15. (***)
66. Jenkins R, Cooper R. Synergy between oxacillin and manuka honey sensitizes methicillin-resistant Staphylococcus aureus to oxacillin. *Journal Of Antimicrobial Chemotherapy (JAC).* June 2012;67(6):1405-1407. (*)
67. Jenkins R, Cooper R. Improving Antibiotic Activity against Wound Pathogens with Manuka Honey In Vitro. *Plos One* [serial online]. 2012;7(9):e45600.
68. Lusby PE, Coombes AL, Wilkinson JM. Bactericidal Activity of Different Honeys against Pathogenic Bacteria. *Archives of Medical Research* 2005;36:454-467. (*)
69. Maddocks S, Lopez M, Rowlands R, Cooper R. Manuka honey inhibits the development of Streptococcus pyogenes biofilms and causes reduced expression of two fibronectin binding proteins. *Microbiology (Reading, England)* 2012;158(Pt 3):781-790.(*)
70. Merckoll P, Jonassen TO, Vad ME, Jeansson SL, Melby KK. Bacteria, biofilm andhoney: A study of the effects of honey on 'planktonic' and biofilm-embedded chronic wound bacteria; *Scandinavian J Infectious Disease 2009;*41(5):341-347. (*)
71. Tonks AJ, Dudley E, Porter N, Parton J, Brazier J, Smith E, Tonks A. A 5.8kDa component of Manuka honey stimulates immune cells via TLR4. *Journal of Leukocyte Biology 2007;*82:1147-1155. (*)
72. Wilkinson JM, Cavanagh, MA. Antibacterial Activity of 13 Honeys against *Escherichia coli* and *Pseudomonas aeruginosa. Journal of Medicinal Food* 2005;8(1):100-103. (*)

Posters and Conference proceedings

* MEDIHONEY® Antibacterial Medical Honey
** MEDIHONEY® Antibacterial Wound Gel
*** MEDIHONEY® Antibacterial Honey Apinate® Dressings
**** MEDIHONEY® Antibacterial Honey Gel Sheets
^ Comvita WoundCare 18+

IN VIVO

73. Acton C, Dunwoody G. Honey: where should it be placed on the wound care formulary? Proceedings of the *European Wound Management Association Conference,* Lisbon, Portugal, May 2008. Poster. (**)
74. Bastos A, Maillard S, Leschof P. Ecology, wound…and antibacterial medical honey. Proceedings of *Wounds UK*. Harrogate, UK. 2008 Poster (*)
75. Berke C. The Effect of Active *Leptospermum* Honey Gel on the Wounds of Patients with Immune Compromise. Proceedings of *Symposium on Advanced Wound Care and Wound Healing Society Meeting*. Atlanta, GA April 2012 Poster (**)
76. Bodie Gross E. Active *Leptospermum* Honey impregnated calcium alginate dressing treatment options for medically compromised patients. Proceedings of *World Union of Wound Healing Societies.* Toronto, Canada. June 2008 Poster. (***).
77. Bodie Gross E. Active *Leptospermum* honey for Frostbite, PIN sites, and Infected Skin Tears. Proceedings of the *Clinical Symposium on Advances in Skin and Wound Care,* October 22-25, 2009 Poster (*,**,***)
78. Bradley T. "Mummy you smell like honey!"- Utilisation of Medihoney™ Antibacterial Honey in malodorous wound management. Proceedings of the *Australian and New Zealand palliative Care Conference* 2004, Auckland, New Zealand. (*)
79. Brennan MR, Faliks S. Wound healing experiences with a honey based product. Proceedings of *The World Union of Wound Healing Societies*, Toronto, Canada, June 2008 Poster (***)
80. Brennan MR, Faliks S. Honey-debriding alternative. Proceedings of the *Symposium on Advanced Wound Care*. Dallas, Texas. April 2009 Poster. (***)
81. Bridgeman C, Hall C. Use of active *Leptospermum* Honey to heal pressure ulcers. A Case series of pressure ulcers. Proceedings of *Clinical Symposium on Advances in Skin and Wound Care* Dallas April, 2011, TX, Poster. (*, ***, ****)
82. Chaiken N. Active *Leptospermum* honey for the treatment of recalcitrant lower extremity wounds. Proceedings of *Am Professional Wound Care Assoc Conference*, Philadelphia, PA, 2-4 April 2009 Poster. (***)
83. Chaiken N. The use of active *Leptopermum* honey on difficult to heal wounds of various etiologies. Proceedings of *Symposium on Advanced Wound Care,* Orlando, FL, 17-20 April 2010 Poster. (*)
84. Day J, Zulkowski K. Use of honey for wound healing: a case study. *Proceedings of Wound, Ostomy, Continence Nurses Society*, June 2008, Orlando, FL, Poster. (***)
85. Deo C. Evidence Based Practice for Pediatric Wound Care: Utilizing Active *Leptospermum* Honey as a primary dressing in chronic wounds. *Proceedings of Clinical Symposium on Advances in Skin and Wound Care,* Oct., 2009, Poster. (*,**,***)
86. Flavin S, Evans J, James D. Differentiating between Nicorandil induced ulceration and pressure damage. *Proceedings of Wounds UK Conference, Nov. 2007,* Harrogate, UK. Poster. (**)
87. Fortner TT. The beneficial effects of active *Leptospermum* honey for chronic, non-healing wounds. *Proceedings of Symposium on Advanced Wound Care*, April, 2009, Dallas, TX, Poster. (***)
88. Frykberg RG, Tallis A, Thomas-Ramoutar, C, Hayden CT. Manuka Honey Alginate Wound Dressing facilitates healing of chronic diabetic lower extremity ulcerations. Proceedings of *New Cardiovascular Horizons Conference, Sept. 2007,* New Orleans, LA, Poster. (***)
89. Ganacias-Acuna E. Active *Leptospermum* honey and negative pressure wound therapy for non-healing post-surgical wounds. Proceedings of *Clinical Symposium on Advances in Skin and Wound Care* Oct. 2009, San Antonio, TX, Poster. (***)
90. Gardner JA, Murphy T. Utilization of a novel active *Leptospermum* Honey gel dressing for debridement and healing of VLUs. *Proceedings of Symposium on Advances in Skin and Wound Care,* Oct. 2011*,* Las Vegas, NV, Poster. (**)
91. Gardner JA, Murphy T. Turning to Active *Leptospermum* Honey for Debridement: Case Series. *Proceedings of Symposium on Advanced Wound Care Fall*, Sept. 2012, Baltimore, MD*,* Poster (**)
92. Grey C. Comparing Efficacy of Active *Leptospermum* Honey. *Proceedings of Wound, Ostomy, Continence Nurses Society*, June 2012, Charlotte, NC, Poster. (*)
93. Gudeman J. A Cost and Value Analysis of Products in an Outpatient Wound Clinic After the Addition of Active *Leptospermum* Honey Products. *Proceedings of Symposium on Advanced Wound Care and Wound Healing Society Meeting*, April 2012, Atlanta, GA, Poster (*, ***)

94. Hanft J, Smith T, Legel K. Topical active *Leptospermum* honey in recalcitrant venous leg wounds: A preliminary case series. *Proceedings of Diabetic Foot Global Conference*. Los Angeles, CA, March 19-21, 2009 Poster. (***)

95. Hayes L. *Leptospermum* Honey Alginate Wound Dressing facilitates healing in elderly patients with painful chronic wounds unable to tolerate silver dressings. *Proceedings of World Union of Wound Healing Societies.* June 2008, Toronto, Canada, Poster (***)

96. Hendrickson MA. Utilizing active *Leptospermum* honey dressings in the treatment of cutaneous small-vessel vasculitis. *Proceedings of the Symposium on Advanced Wound Care*. Dallas, TX, April 2009 Poster. (***)

97. Hoge T. A clinical and cost comparison of Active Leptospermum Honey versus collagenase in long term care. Proceedings of *Diabetic Limb Salvage Conference.* Washington DC, October 2012 Poster. (**)

98. Hune S, Mierdel S, Uppal K, Smith D, Clarke C, Mainella S, Boyd S, Seto D. Innovative Interprofessional team approach to product selection and chronic wound management in long-term care home. *Proceedings of Canadian Assoc of Wound Care*. Ottawa, Canada, November 2011 Poster. (***)

99. Johnson C. Side by Side: A Case Series Comparing Cost and Effectiveness of Active *Leptospermum* Honey and Collagenase. Proceedings of *Symposium on Advanced Wound Care Fall* 2012, Baltimore, MD, Poster (**)

100. Johnson C. Pain, Odor, Dignity; Wound Management of a Complex Oncology Patient with Multiple Wounds. Proceedings of *Symposium on Advanced Wound Care Fall* 2012, Baltimore, MD, Poster (*)

101. Kavros SJ. Utilizing *Leptospermum* Honey Alginate in the Treatment of Recalcitrant Lower Extremity Ulcerations. Proceedings of *Am Professional Wound Care Assoc Conference* 2008.TX, Poster. (***)

102. Kesselman P. Clinical application of absorbent calcium alginate dressing pads, containing Manuka (*Leptospermum*) honey on infected lower extremity venous ulcers. *Proceedings of Am Professional Wound Care Assoc Conference* 2008, TX, Poster. (***)

103. Kesselman P. Chronic colonized charcot foot ulcer: Clinical application of absorbent calcium alginate dressing pads, containing Manuka (*Leptospermum*) honey. *Proceedings of Am Professional Wound Care Assoc Conference* April, 2009, Philadelphia, PA, Poster.(***)

104. Kerzner M. Novel use of active *Leptospermum* Honey for pin site care. *Proceedings of Diabetic Limb Salvage Conference,* Oct 2011, Washington DC, Poster. (****)

105. Larsen T, Reif S, Tavernelli K. Use of active *Leptospermum* honey dressings in the home care setting. Proceedings of *Symposium on Advanced Wound Care*, April 2009,Dallas, TX, Poster. (***)

106. Ligouri P, Peters K. Limb at risk: use of an active *Leptospermum* honey for the management of an infected foot wound complicated by cellulitis. Proceedings of *Clinical Symposium of Advanced Wound Care* Oct. 2008, Las Vegas, NV, Poster (***)

107. Liguori PA, Peters KL. Favorable treatment outcomes of painful chronic leg ulcers with the use of a new active *Leptospermum* Honey impregnated calcium alginate dressing. *Proceedings of World Union of Wound Healing Societies,* June 2008, Toronto, Canada, Poster (***).

108. Liguori PA, Peters KL. A new active *Leptospermum Honey* impregnated calcium alginate dressing has a positive impact on a wide variety of wound types. Proceedings of *World Union of Wound Healing Societies,* June 2008,Toronto, Canada, Poster (***).

109. Milne C. Comparison of honey impregnated alginate dressings to non-impregnated calcium alginate dressings on wound healing. *Proceedings of Symposium on Advanced Wound Care*, March 2008, San Diego, CA, Poster. (***)

110. Moore S. Squamous cell carcinoma using active *Leptospermum* Honey for wound management and odor control. *Proceedings of South Central Region Ostomy & Continence Society*, Sept. 2008, Oklahoma, Poster. (***)

111. Naidoo N, Jameson M, Molan P, Round G. A phase II randomized controlled trial using Manuka Honey as prophylaxis against radiation-induced dermatitis in breast cancer patients. *Proceedings of European Multi-disciplinary Cancer Congress,* Sept 2011, Stockholm, Sweden (*)

112. Oldfield R. The utilisation of honey to promote wound bed preparation and healing in a patient with necrotic leg ulcer. *Proceedings of Wounds UK Conference Nov 2007,* Harrogate, UK Poster. (**)

113. Oldfield R. A retrospective audit of referrals received by the tissue viability service where patients were treated with active Leptospermum honey between January 2008 to July 2011. *Proceedings of Symposium on Advanced Wound Care and Wound Healing Society Meeting*, April 2012, Atlanta, GA, Poster (**)

114. Peters KL, Bowers-Guyon J, Ligouri PA, Senno S. The use of a new active *Leptospermum* Honey Gel under negative pressure wound therapy: a case series. *Proceedings of Clinical Symposium of Advanced Wound Care,* Sept. 2011, Washington DC, Poster (**)

115. Raizman R. (2009). Evidence based practice for wound care: utilizing active *Leptospermum* honey as a primary dressing for wounds of varying etiology. *Proceedings of Canadian Association of Wound Care Conference 2009,* Calgary, Canada, Poster. (*, ***, ****)

116. Raizman R. Evidence-based practice: utilizing active *Leptospermum* honey as a primary dressing for wounds of varying etiologies. *Proceedings of Wonders of Advancing Wound, Ostomy, Continence Nursing Care, Canadian Association of Enterostomal therapy*, May 2010, Niagara Falls, Ontario, Poster.(*, ***, ****)

117. Regulski M. Chronic lower extremity venous ulceration-use of *Leptospermum* honey impregnated alginate to facilitate wound closure. *Proceedings of American Professional Wound Care Association Conference* March 2008, TX, Poster.(***)

118. Reyna R. Active *Leptospermum* honey for pediatric wound care: moving evidence into practice. *Proceedings of Wild on Wounds*, Oct. 2009, Las Vegas, NV, Poster. (****)

119. Reyna R. The use of active Leptospermum Honey in common paediatric wound etiologies. *Proceedings of Symposium on Advanced Wound Care*, Oct. 2011, Las Vegas, NV, Poster. (*, ***, ****)

120. Reyna R. Various Uses of Active Leptospermum Honey on Neonatal & Pediatric Skin & Wound Problems. *Proceedings of Symposium on Advanced Wound Care Fall*, Sept. 2012, Baltimore, MD, Poster (**,***)

121. Richards L. Healing infected recalcitrant ulcers with Antibacterial Honey. *Proceedings of 4th Australian Wound Management Assoc Conference,* March 2002, Adelaide, Australia, Poster. (*)

122. Robson V. Providing evidence on the cost effectiveness of topical Antibacterial Honey dressing for formulary inclusion. Proceedings of *European Wound Management Association Conference, May 2009,* Finland, Poster. (**)

123. Robson V. The use of *Leptospermum* honey in slow to heal wounds. Proceedings of. *European Wound Management Association Conference, Sept. 2005,* Stuttgart, Germany, Poster. (*)

124. Ryan M. The use of a medical grade honey (*Leptospermum*) in salvaging a lower limb in a post operative wound. Proceedings of *Wounds,* Nov. 2008, Harrogate, UK, Poster (**)

125. Schimmer C, Bensch M, Sommer S, Hanano R, Elert O, Leyh R. Treatment of deep sternal wound infection with V.A.C.® therapy in combination with local application of antibacterial honey Medihoney™). Proceedings of *5th Joint Annual meeting of the German, Austrian and Swiss Societies of Thorax- and Cardiovascular Surgery*, Feb 2008, Innsbruck, Austria, Poster(*)

126. Senno SL, Peters KL. Favourable treatment outcome utilizing combined active *Leptospermum* honey with NPWT to enhance removal of devitalized tissue and potentiate wound healing. Proceedings of *Clinical Symposium on Advances in Skin and Wound Care*, 2009, San Antonio, TX, Poster. (*)

127. Spillman C. Wound Progress Using Honey Colloid Dressings with Active Leptospermum Honey in an Office Based Plastic Surgery Environment: A case study. *Proceedings of Am Society of Plastic Surgery Nurses Conference,* Oct. 2012, Washington DC, Poster. (****)

128. Stead M, Oldfield A. Use of honey in a wound with TB. Proceedings of *University Hospitals Coventry & Warwick NHS Trust Tissue Viability Conference, Dec. 2007,*Coventry, UK, Poster(**)

129. Stewart J. Therapeutic honey used to reduce pain and bleeding associated with dressing change. *Proceedings of 4th Australian Wound Management Association Conference,* March 2002, Adelaide, Australia, Poster.(*)

130. Strilko B, Barauskas C, McIntosh A. A safe and effective alternative for debridement of lower extremity wounds: active *Leptospermum* honey dressings. *Proceedings of Symposium on Advanced Wound Care and Wound Healing Society Meeting*. April 2010, Orlando, FL, Poster.(***)

131. Strilko B, Barauskas C, McIntosh A, & Reaney N. Use of new active *Leptospermum* Honey dressings in non-healing wounds. *Proceedings of Symposium of Advanced Wound Care*, 2008, San Diego, CA, Poster. (***)

132. Tavernelli K, Reif S. The challenges of chronic venous leg ulcers and how *Leptospermum* honey can help. *Proceedings of World Union of Wound Healing Societies*, June 208, Toronto, Canada, Poster. (***)

133. Vlahovic TC, Roberts E. Active *Leptospermum* honey: treatment for various lower extremity dermatologic issues. *Proceedings of Clinical Symposium of Advanced Wound Care*, Oct. 2008, Las Vegas, NV, Poster (***)

134. Webb M. Management of an MRSA colonized wound using active *Leptospermum* honey impregnated calcium alginate. *Proceedings of 12th Annual Wound Care Congress*, Sept. 2008, Fl, Poster (***)

135. Webb M. Use of active *Leptospermum* honey for wound bed preparation and healing in heavily infected multisite wounds at one public long term care facility. *Proceedings of American professional Wound Care Association Conference*. April 2009, Philadelphia, PA, Poster. (***)

136. Webb, M. (2009). Selection of a cost effective debriding alternative to a pharmaceutical enzymatic agent at one county long term care facility. *Proceedings of American Professional Wound Care Association Conference*, April 2009, Philadelphia, PA, Poster. (***)

137. Weir D, Blakely M. The voice of experience: wound management using active *Leptospermum* Honey impregnated calcium alginate dressing. *Proceedings of World Union of Wound Healing Societies 2008,* Toronto, Canada, Poster. (***)

138. Welber A., A Sweet Solution to a Bitter Life Problem: The Use of Active *Leptospermum* Honey Wound and Burn Dressing in a Lower Extremity Chronic Lymphedema Patient: A Case Study. *Proceedings of Wound, Ostomy, Continence Nurses Society*. June 2012, Charlotte, NC, Poster. (*)

139. Winkler M. HONEY IS SYNERGISTIC WITH FUZZY WALE ELASTIC COMPRESSION TO IMPROVE HEALING OF REFRACTORY VENOUS LEG ULCERS. *Proceedings of Symposium on Advanced Wound Care and Wound Healing Society Meeting*, April 2012, Atlanta, GA, Poster (**)

140. Wodash A. Finding Success with Active *Leptospermum* Honey After Failures with Negative Pressure Wound Therapy. *Proceedings of Wild on Wounds*, 2012, Las Vegas, NV, Poster (**)

IN VITRO

* MEDIHONEY® Antibacterial Medical Honey

** Comvita Manukacare 18+

*** MEDIHONEY® Antibacterial Honey Apinate® Dressings

141. Blair S. Honey and drug resistant pathogens. *Proceedings of Joint Scientific Meeting of The Australian Society for Microbiology,* July 2000, Cairns, Australia, Conference paper. (*)

142. Cooper R, Kenkins L, Rowlands R. The influence of catalase on the antibacterial activity of honey. *Proceedings of Symposium on Advanced Wound Care,* April 2008, San Diego, CA, Poster. (*)

143. George N. Honey – Natural Antimicrobial. *Proceedings of Australian Infection Control Association Third Biennial Conference,* June 2004, Hobart, Australia. Oral Abstract Presentation (*)

144. Irish J, Carter D, Blair S. Honey prevents biofilm formation by *Staphylococcus aureus*. *Proceedings of Australian Society of Microbiology*, 2007, Adelaide, Australia. Poster. (*)

145. Jenkins RE, Cooper RA, Burton NF. The determination of antimicrobial activity of 3 honey impregnated wound dressings by challenge test with EMRSA-15. *Proceedings of World Union of Wound Healing Societies*. June 2008, Toronto, Canada, Poster. (***)

146. Sell S, Wolfe P. The potential for accelerated wound healing with Manuka honey and platelet-rich plasma. *Proceedings of Regenerative Medicine: Harnessing Biology for Regenerative Medicine*, 2012, Hilton Head, SC, Poster. (*)

147. Sell S. The use of a combination of Manuka honey and platelet-rich plasma to stimulate dermal regeneration: *In vitro* evaluations. *Proceedings of Biomedical Engineering Society Annual Meeting*, 2012, Atlanta, GA, Poster. (*)